

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://artacademy.org.uk/

Checker Input

Show source outline image report

Check by

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Error** Attribute `fetchpriority` not allowed on element `link` at this point.

From line 8, column 874; to line 8, column 1050

```
/noscript><link rel="preload" data-rocket-preload as="image"
href="https://aal.ams3.digitaloceanspaces.com/wp-
content/uploads/aal/2024/02/19114619/summer-school.jpg"
```

Attributes for element `link`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[crossorigin](#) — How the element handles crossorigin requests

[rel](#) — Relationship between the document containing the [hyperlink](#) and the destination resource

[media](#) — Applicable media

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SRI\]](#)

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[sizes](#) — Sizes of the icons (for [rel="icon"](#))

[imagesrcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc. (for [rel="preload"](#))

[imagesizes](#) — Image sizes for different page layouts (for [rel="preload"](#))

[as](#) — [Potential destination](#) for a preload request (for [rel="preload"](#) and [rel="modulepreload"](#))

[blocking](#) — Whether the element is [render-blocking](#)

[color](#) — Color to use when customizing a site's icon (for [rel="mask-icon"](#))

[disabled](#) — Whether the link is disabled

Also, the [title](#) attribute [has special semantics](#) on this element: Title of the link; [CSS style sheet set name](#).

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 72, column 1; to line 76, column 9

```
</script> <script type="text/javascript" id="Cookiebot"
src="https://consent.cookiebot.com/uc.js" data-
cbid="5841670d-7b4c-4ecc-acde-946c64bf5fe3">
```

3. **Error** Element `title` not allowed as child of element `head` in this context. (Suppressing further errors from this subtree.)

From line 79, column 1; to line 79, column 7

```
.com/ --> <title>Home -
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** CSS: `max-height: auto` is not a `max-height` value.

From line 554, column 15; to line 554, column 18

```
x-height: auto; he
```

5. **Error** CSS: `padding: none` is not a `padding` value.

From line 859, column 12; to line 859, column 15

```
padding: none;}e.l
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1570, column 4; to line 1570, column 35

```
it --> <script type="text/javascript">
!
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1578, column 4; to line 1578, column 35

```
in --> <script type="text/javascript">
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1598, column 1; to line 1598, column 31

```
Code --><script type="text/javascript"> !fu
```

9. **Error** Duplicate ID `site-navigation`.

From line 1777, column 17; to line 1777, column 90

```
<nav id="site-navigation" class="bellows-navigation" aria-label="Primary">
```

10. **Warning** The first occurrence of ID `site-navigation` was here.

From line 1647, column 17; to line 1647, column 112

```
<nav id="site-navigation" class="main-navigation desktop-nav f ac-c jc-fe" aria-label="Primary">
```

11. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1779, column 538; to line 1779, column 599

```
out</span><button class="bellows-subtoggle" aria-label="Toggle Submenu"><i cla
```

12. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1784, column 343; to line 1784, column 404

```
ire</span><button class="bellows-subtoggle" aria-label="Toggle Submenu"><i cla
```

13. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1798, column 331; to line 1798, column 392

```
ses</span><button class="bellows-subtoggle" aria-label="Toggle Submenu"><i cla
```

14. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1801, column 350; to line 1801, column 411

```
ses</span><button class="bellows-subtoggle" aria-label="Toggle Submenu"><i cla
```

15. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1808, column 395; to line 1808, column 456

```
ses</span><button class="bellows-subtoggle" aria-label="Toggle Submenu"><i cla
```

16. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1826, column 322; to line 1826, column 383

```
ree</span><button class="bellows-subtoggle" aria-label="Toggle  
Submenu"><i cla
```

17. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1830, column 345; to line 1830, column 406

```
ees</span><button class="bellows-subtoggle" aria-label="Toggle  
Submenu"><i cla
```

18. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1836, column 323; to line 1836, column 384

```
ree</span><button class="bellows-subtoggle" aria-label="Toggle  
Submenu"><i cla
```

19. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1845, column 314; to line 1845, column 375

```
ere</span><button class="bellows-subtoggle" aria-label="Toggle  
Submenu"><i cla
```

20. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 1862, column 313; to line 1862, column 374

```
Us</span><button class="bellows-subtoggle" aria-label="Toggle  
Submenu"><i cla
```

21. **Error** Duplicate ID `Icons`.

From line 1873, column 21; to line 1873, column 114

```
<svg id="Icons" height="30" viewBox="0 0 64 64" width="30"  
xmlns="http://www.w3.org/2000/svg"><path
```

22. **Warning** The first occurrence of ID `Icons` was here.

From line 1744, column 21; to line 1744, column 114

```
<svg id="Icons" height="30" viewBox="0 0 64 64" width="30"  
xmlns="http://www.w3.org/2000/svg"><path
```

23. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 1932, column 1; to line 1932, column 7

```
></div><<style>
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

24. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1997, column 1; to line 1997, column 31

```
</style><script type="text/javascript">docum
```

25. **Error** Duplicate ID `primary`.

From line 2017, column 1; to line 2017, column 37

```
</script><main id="primary" class="site-main">
```

26. **Warning** The first occurrence of ID `primary` was here.

From line 1650, column 58; to line 1650, column 87

```
ontainer"><ul id="primary" class="menu"><li id
```

27. **Error** Element `style` not allowed as child of element `main` in this context.

(Suppressing further errors from this subtree.)

From line 2025, column 1; to line 2025, column 7

```
min.css"><style>heade
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `main`:

[Flow content](#).

28. **Error** CSS: `background-color`: Parse Error.

From line 2048, column 25; to line 2048, column 77

```
<button style="color: #ffffff; background-color: ">
```

29. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 2048, column 25; to line 2048, column 77

```
<button style="color: #ffffff; background-color: ">
```

30. **Error** CSS: `background-color`: Parse Error.

From line 2062, column 25; to line 2062, column 77

```
<button style="color: #ffffff; background-color: ">
```

31. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 2062, column 25; to line 2062, column 77

```
<button style="color: #ffffff; background-color: ">
```

32. **Error** CSS: `background-color`: Parse Error.

From line 2076, column 25; to line 2076, column 77

```
<button style="color: #ffffff; background-color: ">
```

33. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 2076, column 25; to line 2076, column 77

```
<button style="color: #ffffff; background-color: ">
```

34. **Error** CSS: `background-color`: Parse Error.

From line 2090, column 25; to line 2090, column 77

```
<button style="color: #ffffff; background-color: ">
```

35. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 2090, column 25; to line 2090, column 77

```
<button style="color: #ffffff; background-color: ">
```

36. **Error** CSS: `background-color`: Parse Error.

From line 2104, column 25; to line 2104, column 77

```
<button style="color: #ffffff; background-color: ">
```

37. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 2104, column 25; to line 2104, column 77

```
<button style="color: #ffffff; background-color: ">
```

38. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 2333, column 1; to line 2333, column 118

```
</div>.....<section id="text-editor-
block_fad02b020b9c77ddc5c570e1cfe5c17f" class="text-editor mt-4 text-
editor text-align-left">e <
```

39. **Error Duplicate ID Icons.**

From line 2355, column 21; to line 2355, column 114

```
<svg id="Icons" height="30" viewBox="0 0 64 64" width="30"
xmlns="http://www.w3.org/2000/svg"><path
```

40. **Warning The first occurrence of ID Icons was here.**

From line 1744, column 21; to line 1744, column 114

```
<svg id="Icons" height="30" viewBox="0 0 64 64" width="30"
xmlns="http://www.w3.org/2000/svg"><path
```

41. **Error Duplicate ID Icons.**

From line 2382, column 21; to line 2382, column 114

```
<svg id="Icons" height="30" viewBox="0 0 64 64" width="30"
xmlns="http://www.w3.org/2000/svg"><path
```

42. **Warning The first occurrence of ID Icons was here.**

From line 1744, column 21; to line 1744, column 114

```
<svg id="Icons" height="30" viewBox="0 0 64 64" width="30"
xmlns="http://www.w3.org/2000/svg"><path
```

43. **Error Duplicate ID Icons.**

From line 2405, column 21; to line 2405, column 114

```
<svg id="Icons" height="30" viewBox="0 0 64 64" width="30"
xmlns="http://www.w3.org/2000/svg"><path
```

44. **Warning The first occurrence of ID Icons was here.**

From line 1744, column 21; to line 1744, column 114

```
<svg id="Icons" height="30" viewBox="0 0 64 64" width="30"
xmlns="http://www.w3.org/2000/svg"><path
```

45. **Error Bad value tel:+44 (0) 20 7407 6969 for attribute href on element a: Illegal character in scheme data: space is not allowed.**

From line 2431, column 4; to line 2431, column 38

```
SH</p>e<p><a href="tel:+44 (0) 20 7407 6969">+44 (0
```

46. **Error The element button must not appear as a descendant of the a element.**

From line 2442, column 29; to line 2442, column 36

```
<button>␣
```

47. **Error** Element `style` not allowed as child of element `body` in this context.

(Suppressing further errors from this subtree.)

From line 2495, column 1; to line 2495, column 43

```
= 'all' />␣<style id='core-block-supports-inline-css'>␣.wp-c
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `body`:

[Flow content](#).

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

Total execution time 550 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.3.8